ELSEVIER

Analytica Chimica Acta 389 (1999) 299–301

ANALYTICA CHIMICA ACTA

Author Index

A. Georgiou, C., see Nouros, P.G. 239
Alguacil, F.J., see Coedo, A.G. 247
Alonso, J., see Puig-Lleixà, C. 179
Arranz, A.
—, Dolara, I., Fernández de Betoño, S., María Moreda, J., Cid, A. and Francisco Arranz, J.
Electroanalytical study and square wave voltammetric techniques for the determination of β-blocker timolol at the mercury electrode 225

Bakker, I., see Kok, S.J. 77
Baldini, E., see Pesavento, M. 59
Barbosa, J.
—, Barrón, D. and Butí, S.
Chromatographic behaviour of ionizable compounds in liquid chromatography. Part 1. pH scale, pK_a and pH_S values for standard buffers in tetrahydrofuran–water 31
Barbosa, J.
—, Bergés, R., Sanz-Nebot, V. and Toro, I.
Chromatographic behavior of ionizable compounds in liquid chromatography. Part 2. Standardization of potentiometric sensors and effect of pH and ionic strength on the retention of analytes using acetonitrile–water mobile phases 43
Barrón, D., see Barbosa, J. 31
Bartrolí, J., see Puig-Lleixà, C. 179
Bergés, R., see Barbosa, J. 43
Bosque-Sendra, J.M., see Molina, M.F. 281
Brinkman, U.A.T., see Kok, S.J. 77
Budič, B., see Klemenc, S. 141
Butí, S., see Barbosa, J. 31

Chesney, D.J., see Lee Jeong, M. 53
Chin, C.-J., see Wang, C.-F. 257
Cid, A., see Arranz, A. 225
Coedo, A.G.
—, Padilla, I., Dorado, T. and Alguacil, F.J.
A micro-scale mercury cathode electrolysis procedure for on-line flow injection inductively coupled plasma mass spectrometry trace elements analysis in steel samples 247
Crowley, E.
—, O'Sullivan, C. and Guilbault, G.G.
Amperometric immunosensor for granulocyte-macrophage colony-stimulating factor using screen-printed electrodes 171

De Benedetto, G.E.
—, Malitesta, C., Palmisano, F. and Zambonin, P.G.
Characterization of an electro-synthesized methoxylated polypyrrole film used as permselective barrier in amperometric biosensors by X-ray photoelectron and Fourier transform infrared spectroscopy 197
Derome, J., see Jauhiainen, T. 21
Derome, K., see Jauhiainen, T. 21
diSioudi, B.D., see Simonian, A.L. 189
Dolara, I., see Arranz, A. 225
Dorado, T., see Coedo, A.G. 247

El Bergmi, R., see Molina, M.F. 281
Emons, H., see Pinilla Gil, E. 9

Fang, Y., see Li, D.-H. 85
Fernández de Betoño, S., see Arranz, A. 225
Francisco Arranz, J., see Arranz, A. 225

G. Burton, S., see Russell, I.M. 161
Gagić, S., see Komorsky-Lovrić, Š. 219
Gonzalez, C., see Roig, B. 267
Gooijer, C., see Kok, S.J. 77
Guilbault, G.G., see Crowley, E. 171
Gupta, V.K.
— and Kumar, P.
Cadmium(II)-selective sensors based on dibenzo-24-crown-8 in PVC matrix 205
Guy, R.D., see Lohnes, M.T. 95

Han, S., see Yuan, Z. 291
Harms, D.
— and Karst, U.
Rapid and selective determination of peroxyacetic acid in disinfectants using flow injection analysis 233
He, X.
—, Tubino, M. and Rossi, A.V.
Selective and sensitive spectrophotometric determination of total vanadium with hydrogen peroxide and 4-(2-pyridylazo)-resorcinol 275
Hirakawa, Y.
—, Tokunaga, N., Nakamura, K. and Imasaka, T.
Development of a vacuum ultraviolet laser source and its application to the evaluation of phosphor materials for a plasma display panel 69

Hoornaert, S., see Ro, C.-U. 151
Houk, L.L., see Johnson, S.K. 1
Houk, R.S., see Johnson, S.K. 1

Imasaka, T., see Hirakawa, Y. 69
Inomata, T., see Kubo, H. 89

Jauhiainen, T.
—, Moore, J., Perämäki, P., Derome, J. and Derome, K.
Simple procedure for ion chromatographic determination of anions and cations at trace levels in ice core samples 21
Jiménez, C., see Puig-Lleixà, C. 179
Jiménez-Prieto, R.
— and Silva, M.
The continuous-addition-of-reagent technique as an effective tool for enhancing kinetic-based multicomponent determinations using computational neural networks 131
Johnson, D.C., see Johnson, S.K. 1
Johnson, S.K.
—, Houk, L.L., Johnson, D.C. and Houk, R.S.
Determination of small carboxylic acids by capillary electrophoresis with electrospray-mass spectrometry 1

Karst, U., see Harms, D. 233
Klemenc, S.
—, Budič, B. and Zupan, J.
Statistical evaluation of data obtained by inductively coupled plasma atomic emission spectrometry (ICP-AES) for archaeological copper ingots 141
Kok, S.J.
—, Bakker, I., Gooijer, C., Brinkman, U.A.T. and Velthorst, N.H.
Fluorescence line-narrowing spectroscopy of analytes deposited on thin-layer chromatography plates 77
Komorsky-Lovrić, Š.
—, Gagić, S. and Penovski, R.
Voltammetric determination of benzoylecgonine 219
Kubo, H.
—, Saitoh, M., Murase, S., Inomata, T., Yoshimura, Y. and Nakazawa, H.
Chemiluminescence of β-lactam antibiotics based on the luminol reaction 89
Kumar, P., see Gupta, V.K. 205

Lee Jeong, M.
— and Chesney, D.J.
Determination of *N*-methylcarbamate pesticides from spiked matrices using supercritical fluid extraction 53
Li, D.-H.
—, Zhu, Q.-Z., Ye, D., Fang, Y. and Xu, J.-G.
A rapid method for the determination of molar ratio of fluorophore to protein by fluorescence anisotropy detection 85
Lohnes, M.T.
—, Guy, R.D. and Wentzell, P.D.
Window target-testing factor analysis: theory and application to the chromatographic analysis of complex mixtures with multiwavelength fluorescence detection 95
Luo, S.-K., see Wang, C.-F. 257

Ma, Z.
—, Zhao, B. and Yuan, Z.
Application of electrochemical and spin trapping techniques in the investigation of hydroxyl radicals 213
Malitesta, C., see De Benedetto, G.E. 197
María Moreda, J., see Arranz, A. 225
Massart, D.L., see Verdú-Andrés, J. 115
Men, L.-C., see Wang, C.-F. 257
Menardo, C., see Verdú-Andrés, J. 115
Molina, M.F.
—, Bosque-Sendra, J.M., Nechar, M. and El Bergmi, R.
Complexes of Zn(II) and Cd(II) with 4-(2-pyridylazo)resorcinol sorbed on sephadex QAE: characterization and theoretical study 281
Moore, J., see Jauhiainen, T. 21
Murase, S., see Kubo, H. 89

Nakamura, K., see Hirakawa, Y. 69
Nakazawa, H., see Kubo, H. 89
Nechar, M., see Molina, M.F. 281
Nouros, P.G.
—, A. Georgiou, C. and Polissiou, M.G.
Direct parallel flow injection multichannel spectrophotometric determination of olive oil peroxide value 239

O'Sullivan, C., see Crowley, E. 171
Ostapczuk, P., see Pinilla Gil, E. 9

Padilla, I., see Coedo, A.G. 247
Palmisano, F., see De Benedetto, G.E. 197
Penovski, R., see Komorsky-Lovrić, Š. 219
Perämäki, P., see Jauhiainen, T. 21
Pesavento, M.
— and Baldini, E.
Study of sorption of copper(II) on complexing resin columns by solid phase extraction 59
Pinilla Gil, E.
—, Ostapczuk, P. and Emons, H.
Determination of arsenic species by field amplified injection capillary electrophoresis after modification of the sample solution with methanol 9
Polissiou, M.G., see Nouros, P.G. 239
Puig-Lleixà, C.
—, Jiménez, C., Alonso, J. and Bartrolí, J.
Polyurethane–acrylate photocurable polymeric membrane for ion-sensitive field-effect transistor based urea biosensors 179

Ro, C.-U.
—, Hoornaert, S. and Van Grieken, R.
Assessment of homogeneity of candidate reference material at the nanogram level and investigation on representativeness of single particle analysis using electron probe X-ray microanalysis 151
Roig, B.
—, Gonzalez, C. and Thomas, O.
Measurement of dissolved total nitrogen in wastewater by UV photooxidation with peroxodisulphate 267

Rossi, A.V., see He, X. 275
Russell, I.M.
— and G. Burton, S.
Development and demonstration of an immobilised-polyphenol oxidase bioprobe for the detection of phenolic pollutants in water 161

Saitoh, M., see Kubo, H. 89
Sanz-Nebot, V., see Barbosa, J. 43
Silva, M., see Jiménez-Prieto, R. 131
Simonian, A.L.
—, diSioudi, B.D. and Wild, J.R.
An enzyme based biosensor for the direct determination of diisopropyl fluorophosphate 189
Sterna, C., see Verdú-Andrés, J. 115

Thomas, O., see Roig, B. 267
Tokunaga, N., see Hirakawa, Y. 69
Toro, I., see Barbosa, J. 43
Tubino, M., see He, X. 275

Van Grieken, R., see Ro, C.-U. 151
Velthorst, N.H., see Kok, S.J. 77
Verdú-Andrés, J.
—, Massart, D.L., Menardo, C. and Sterna, C.
Correction of non-linearities in spectroscopic multivariate calibration by using transformed original variables. Part II. Application to principal component regression 115

Wang, C.-F.
—, Chin, C.-J., Luo, S.-K. and Men, L.-C.
Determination of chromium in airborne particulate matter by high resolution and laser ablation inductively coupled plasma mass spectrometry 257
Wentzell, P.D., see Lohnes, M.T. 95
Wild, J.R., see Simonian, A.L. 189

Xu, J.-G., see Li, D.-H. 85

Ye, D., see Li, D.-H. 85
Yoshimura, Y., see Kubo, H. 89
Yuan, Z.
—, Zhu, M. and Han, S.
Supramolecular inclusion complex formation and application of β-cyclodextrin with heteroanthracene ring cationic dyes 291
Yuan, Z., see Ma, Z. 213

Zambonin, P.G., see De Benedetto, G.E. 197
Zhao, B., see Ma, Z. 213
Zhu, M., see Yuan, Z. 291
Zhu, Q.-Z., see Li, D.-H. 85
Zupan, J., see Klemenc, S. 141